

NOTES:

① MAT'L: COPPER (STOCK TKN. $\frac{.031}{.79}$)
 PLATING: ELECTRO-TIN (.0003 MIN.)

② BRAZED SEAM


STUD SIZES: ($\pm .005$)

- 02 = .094 413 = .413
- 04 = .119 209 = .209
- 06 = .146
- 08 = .173
- 10 = .198
- 14 = .265
- 56 = .328
- 38 = .390

"UL" LISTING #E32244
 "CSA" LISTING #18689

ALL DIMENSIONS = $\frac{\text{INCHES}}{\text{MM}}$

WIRE SIZE: 16-14 AWG
 1.0-2.5 MM²



PART NUMBER	"W" $\pm .010$	"C" MIN.	"L" MAX.	SCALE: NTS	REFERENCE	DATE	TITLE	DWG. NO.	CUSTOMER
BB-318-	$\frac{.534}{13.56}$	$\frac{.554}{14.07}$	$\frac{1.036}{26.31}$			11-27-84	RING TONGUE	A	
BB-323-	$\frac{.250}{6.35}$	$\frac{.209}{5.31}$	$\frac{.560}{14.22}$			12-14-84	TERMINAL		
BB-325-	$\frac{.467}{11.86}$	$\frac{.388}{9.86}$	$\frac{.837}{21.26}$				VERSAKRIMP		
BB-337-	$\frac{.312}{7.92}$	$\frac{.285}{7.24}$	$\frac{.645}{16.38}$				300-SERIES		
BB-339-	$\frac{.342}{8.69}$	$\frac{.310}{7.87}$	$\frac{.696}{17.68}$						
DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED								EIC molex INCORPORATED	
FRAC.	DEC.	ANG.							
\pm	\pm	\pm							